

MONSTERS FROM MANCHURIA



BY ANNA PRIKHODKO

ПОДРОБНАЯ СЪЕМА


ГЛАВНОЕ БАЗЫ УПРАВЛЕНИЯ
ДОСНАБЖЕНИЮ И ПРОФИЛАКТИКЕ
АСТЕЙ ИВАЙТИНСКОЙ АРМИИ
(ИНСТАНЦИЯ ПО ДОКУМЕНТАМ)

**A STORY TAKE PLACE AT JAPANESE
DEATH CAMP — UNIT 731 — AT CHINA.**

Unit 731 (731 部隊) was a covert biological and chemical warfare research and development unit of the Imperial Japanese Army that undertook lethal human experimentation during the Second Sino-Japanese War (1937-1945) and World War II. It was responsible for some of the most notorious war crimes carried out by Japanese personnel.

UNIT 731'S FACILITY WAS LOCATED AT, PINGFAN, MANCHURIA. THIS ISOLATED LOCATION WAS CHOSEN FOR SECRECY AND SECURITY. PINGFAN'S COMPOUND WAS 6 SQUARE KILOMETRES IN SIZE. IT HOUSED ADMINISTRATIVE BUILDINGS, LABORATORIES, WORKERS' DORMITORIES, BARRACKS, AN AUTOPSY-DISSECTING BUILDING AND A SPECIAL PRISON TO HOUSE HUMAN TEST SUBJECTS. THREE GIANT FURNACES HANDLED "DISPOSAL" OF HUMAN CARCASSES. SUBJECTS CHOSEN FOR HUMAN TESTING WERE HUMOROUSLY REFERRED TO AS "LOGS" OR "LUMBER."

"After infecting him, the researchers decided to cut him open to see what the disease does to a man's inside. I cut him open from the chest to the stomach and he screamed terribly and his face was all twisted in agony. made this unimaginable sound, he was screaming so horribly. This was all in a day's work for the surgeons, but it



ВЕРСИЯ 18 ДЛ. КОЛОННИ ИЛИ АЭРОФОТО СЪЕМКИ
И В ДРУГИХ 1940 ОАА

ЖЕНСКАЯ ЗАПОР
на Пинчунь
к архиву № 372

Numbers

tortured and killed:

3000 to 200000 (Estimation)
Chinese, Korean, Mongolians,
Allied civilians and prisoners
of war were killed in the Japa-
nese experiments.

The Other Units:

Unit 516 -Qiqihar, Unit 543-
Hailar, Unit 773-Songo unit,
Unit 100-Changchun, Unit
1644-Nanjing, Unit 1855-
Beijing, Unit 8604-
Guangzhou, Unit 200-
Manchuria, Unit 9420-
Singapore.

People of Unit 731:

The head of Unit 731 was
Shiro Ishii (Lieutenant-
General), other members:
Lieutenant Colonel Ryoichi
Naito, Dr. Masaji Kitano,
Yoshio Shinozuka. The sci-
entists that were involved
in these crimes were given
amnesty by the USA in
exchange for the experi-
mental data.

Brutalities:

Among the prisoners were
women and children. They
were used to test the
effects of grenades from
different positions. Preg-
nant victims had their
babies removed without
anesthetics. Smomachs,
limbs were removed, and
blood loss has been stud-
ied. Parts of brain, lungs,
liver were cut off.



A Unit 731 doctor vivisecting a pregnant girl who had his baby after being raped

In 1936, Hirohito autho-

riized, by imperial decree, the expansion of this unit and its integration into the Kwantung Army as the Epidemic Prevention Department. It was divided at the same time into the "Ishii Unit" and "Wakamatsu Unit" with a base in Hsinking. From August 1940, all these units were known collectively as the "Epidemic Prevention and Water Purification Department of the Kwantung Army (東軍防疫給水部本部)"[10] or "Unit 731" (州第731部隊) for short.



9
又同
圖
了
法
法
又
圖

At subterraneous storage of human pieces and remains, where grandpa Itiro work, monsters germinate...

ugly, terrible, frightfull, stunning monsters... they are consist from different parts of human body: hands, legs, heads, eyes, foots and so... like a simbols of nightmarishes that exist at evil camp.



Army of them form at that place, with there own leader and inferiors!

And this army start to attack at all servants, chiefs, doctors and soldiers of this Experimentation Camp.

The main purpose is Shiro Ishii, Father of Biological Warfare, and commander of Unit 731.

The second main purpose is to give a freedom to all prisoners and slaves of this camp.





Shiro Ishii was unlike most young officers destined for high rank. His backers included some of the biggest guns in the Japanese military establishment. He regularly went on night long drinking binges. A prolific womaniser, he was well known in Tokyo's leading geisha houses. His ability to finance his "recreational" activities on junior officer's pay remains mysterious. Later, however, he grew wealthy, insisting on kick-backs from contractors building his various "facilities." Remembered as the "Father of Japan's BW programme," his most notable observation was that BW must be significant otherwise it wouldn't have been "outlawed by the league of Nations."

contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected "logs" were ready for use. The conditions for nineteen days. All were eventually dissected while alive.

One was injected in to a brick-lined room. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison injections. The prisoners were subject to meticulous record keeping.

This was a particularly important project. Frostbite degraded military efficiency. Joseph Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to have the freezing process was complete.

One was injected in to a brick-lined room. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison injections. The prisoners were subject to meticulous record keeping.

This was a particularly important project. Frostbite degraded military efficiency. Joseph Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to have the freezing process was complete.

One was injected in to a brick-lined room. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison injections. The prisoners were subject to meticulous record keeping.

This was a particularly important project. Frostbite degraded military efficiency. Joseph Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to have the freezing process was complete.

SUBTERRANEAN STORAGE OF HUMAN PIECES AND REMAINS

One was injected in to a brick-lined room. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison injections. The prisoners were subject to meticulous record keeping.

This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fan complex in 1944, Joseph Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to have the freezing process was complete.

One was injected in to a brick-lined room. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison injections. The prisoners were subject to meticulous record keeping.





of blood from selected prisoners every few days. Once they had grown too weak to be of further use, they were "sacrificed" by lethal injection. Prior to disposal in the Zhong Ma crematorium, it was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.


mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

MONSTERS

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.

mentation. This was a particularly important project. Frostbite degraded military efficiency during the bitter Manchurian winters. By the time Ishii's research facility was relocated to the massive Ping Fang camp, Dr. Josep Mengele, naked prisoners - males and females - were subjected to sub-freezing temperatures. Later they were "defrosted" by a range of experimental techniques. It was usual for these "logs" to be used for three contagious diseases: anthrax, glanders and plague. Plague infected fleas lured from mice were used to produce a bacterium that was injected in to prisoners. Within ten to twelve days the infected prisoners died in these conditions for nineteen days. All were eventually dissected while alive. Another was injected with 15 mg of Potassium cyanide. Others burned under 20,000 volts of electricity. Not a fatal dose, they were later disposed of by poison in the same way. All experiments were subject to meticulous record keeping.







DIFFERENT KINDS OF MONSTERS
THIS'S SIMPLE ONE





**PRIMITIVE MONSTERS MUST WRIGGLE
WAY TO OPERATING ROOM AND
STEAL THE BRAIN FOR THEIR LEADER**

**AT THE SAME TIME THEY BECOME A
BYSTANDERS OF ALL DISGUSTING
EXPERIMENTS ON HUMANS**





ALL EXPERIMENTS MADE ON ALIVE HUMANS
THE STAFF AT OPERATION ROOM SMILED EACH OTHER
GOOD MANNES - REQUIRED RULE AT **DEATH CAMP**





**CRUELEST EXPERIMENTS HAD
BEEN MADE EVEN ON CHILD**